



Customer: Public Hemp Co
 2323 NW Sedgewick Ave
 Terrebonne Oregon 97760
 United States of America (USA)
Product identity: Greenery CBD:CBG FS Compliant Distillate
Metrc ID: .
Material: Cannabinoid Extract
Laboratory ID: 25-009863-0001
Evidence of Cooling: No
Temp: 29.5 °C
Lot #: GC50925

Sample Results

Potency	Method: J AOAC 2015 V98-6 (mod) ^b			Batch: 2506258	Analyze: 08/28/25
Analyte	Result	Units	LOQ	Notes	
CBC	0.190	%	0.0686		
CBC-A	< LOQ	%	0.0686		
CBC-Total	0.190	%	0.129		
CBD [±]	39.0	%	0.686		
CBD-A [±]	< LOQ	%	0.0686		
CBD-Total [±]	39.0	%	0.747		
CBDV	0.326	%	0.0686		
CBDV-A	< LOQ	%	0.0686		
CBDV-Total	0.326	%	0.128		
CBE	0.328	%	0.0686		
CBG	46.0	%	0.686		
CBG-A	< LOQ	%	0.0686		
CBG-Total	46.0	%	0.746		
CBL	< LOQ	%	0.0686		
CBL-A	< LOQ	%	0.0686		
CBL-Total	< LOQ	%	0.129		
CBN	0.0953	%	0.0686		
CBT	0.781	%	0.0686		
Δ10-THC-9R	< LOQ	%	0.0686		
Δ10-THC-9S	< LOQ	%	0.0686		
Δ10-THC-Total	< LOQ	%	0.137		
Δ8-THC [±]	< LOQ	%	0.0686		
Δ8-THCV	< LOQ	%	0.0686		
Δ9-THC [±]	0.217	%	0.0686		
Δ9-THC-A [±]	< LOQ	%	0.0686		
Δ9-THC-Total [±]	0.217	%	0.129		
Δ9-THCP	< LOQ	%	0.0686		
Δ9-THCV	< LOQ	%	0.0686		
Δ9-THCV-A	< LOQ	%	0.0686		
Δ9-THCV-Total	< LOQ	%	0.128		
exo-THC	< LOQ	%	0.0686		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-009863/D001.R000
Report Date: 08/29/2025
ORELAP#: OR100028
Purchase Order:
Received: 08/22/25 14:12

Potency **Method:** J AOAC 2015 V98-6 (mod)^b **Batch:** 2506258 **Analyze:** 08/28/25

Analyte	Result	Units	LOQ	Notes
Total Cannabinoids	86.9	%		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-009863/D001.R000
Report Date: 08/29/2025
ORELAP#: OR100028
Purchase Order:
Received: 08/22/25 14:12

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% = Percentage of sample

=

% wt = $\mu\text{g/g}$ divided by 10,000



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-009863/D001.R000
Report Date: 08/29/2025
ORELAP#: OR100028
Purchase Order:
Received: 08/22/25 14:12



**Hemp & Cannabis
Chain of Custody**

**PUBLIC-HEMP-CO-
1755630501**

								Testing
Company Details Company: <u>PUBLIC HEMP CO.</u> Contact: <u>Ed Momper</u> Street Address: <u>2615 SW Cessna Dr, Suite 101</u> City, State, Zip: <u>Prineville, OR 97754</u> Email: <u>Ed@PublicHempCo.com</u> Contact Phone: <u>5869352451</u> Company Phone: <u>5415275880</u> Billing Information Billing Phone: <u>5415275880</u> Billing Email: <u>Ed@PublicHempCo.com</u>				Project Details Turnaround Time: <u>5 Business Days Req. For Micro Testing Standard</u> Relinquishment Sampling, Courier & Shipping Options: <u>By Shipping Service (USPS, UPS, Fedex)</u> License Type: <u>ODA</u> License #: <u>AG-R1073218IHH</u> Receipt Information Evidence of Cooling?: <u>No</u> Sample Condition: <u>Satisfactory</u> Prelog Storage: <u>Canna Shelves</u>				CH006 - Oregon Package ±
#	Sample Name	Lot Additional Sample ID	Material	Amount Provided	Reporting Unit	Specifications	Additional Test Requests and Sample Comments	
1	Greenery CBD:CBG FS Compliant Distillate	GC50925	Cannabinoid Extract	5 g	%	N/A	Use this information for Client Details on the CoA Greenery Cannabinoids 295 S. Main St. Prineville, OR 97754 208 602 0612 rsanford1421@gmail.com	✓
2	Greenery CBD FS Compliant Distillate	GC50924	Cannabinoid Extract	5 g	%	N/A	Use this information for Client Details on the CoA Greenery Cannabinoids 295 S. Main St. Prineville, OR 97754 208 602 0612 rsanford1421@gmail.com	✓
3	CBD Distillate Crystal Resistant	PHC50001	Cannabinoid Extract	15 g	%	N/A	Use this information for Client Details on the CoA Public Hemp Co. 2323 NW Sedgewick Ave Terrebonne, OR 97760 (541) 527-5880 Crew@PublicHempCo.com	✓

Package Details

Oregon Package: Aflatoxins+Ochratoxin | OLCC • Cannabis Heavy Metals Profile OR • Micro Profile OR (OLCC Comp) • Pesticides (OR - Cannabis) • Potency Cannabis (Basic+Expanded) • Residual Solvents (Cannabis - Oregon)

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
<i>Ed Momper</i>	<i>08/19/2025</i>	<i>12:08</i>	<i>amp</i>	<i>08/22/2025</i>	<i>14:12</i>	<i>29.50</i>	<i>Q2-0530</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info@columbialaboratories.com

Page 1 of 1
www.columbialaboratories.com


Laboratory Quality Control Results
J AOAC 2015 V98-6 **Batch ID: 2506258**
Laboratory Control Sample

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0717	0.0723	%	99.2	80.0 - 120	Acceptable	
CBDV	2	0.0752	0.0736	%	102	80.0 - 120	Acceptable	
CBE	2	0.0818	0.0836	%	97.9	80.0 - 120	Acceptable	
CBDA	1	0.0649	0.0633	%	102	90.0 - 110	Acceptable	
CBGA	1	0.0723	0.0719	%	101	80.0 - 120	Acceptable	
CBG	1	0.0663	0.0660	%	100	80.0 - 120	Acceptable	
CBD	1	0.0645	0.0650	%	99.1	90.0 - 110	Acceptable	
THCV	2	0.0761	0.0778	%	97.8	80.0 - 120	Acceptable	
d8THCV	2	0.0788	0.0788	%	99.9	80.0 - 120	Acceptable	
THCVA	2	0.0728	0.0696	%	105	80.0 - 120	Acceptable	
CBN	1	0.0670	0.0665	%	101	80.0 - 120	Acceptable	
exo-THC	2	0.0704	0.0720	%	97.8	80.0 - 120	Acceptable	
d9THC	1	0.0705	0.0694	%	102	90.0 - 110	Acceptable	
d8THC	1	0.0677	0.0688	%	98.5	90.0 - 110	Acceptable	
9S-d10THC	1	0.0725	0.0736	%	98.5	80.0 - 120	Acceptable	
CBL	2	0.0700	0.0733	%	95.5	80.0 - 120	Acceptable	
9S-HHC	3	0.0945	0.0938	%	101	80.0 - 120	Acceptable	
9R-d10THC	1	0.0723	0.0734	%	98.5	80.0 - 120	Acceptable	
CBC	2	0.0752	0.0761	%	98.9	80.0 - 120	Acceptable	
9R-HHC	3	0.0979	0.0986	%	99.3	80.0 - 120	Acceptable	
THCA	1	0.0759	0.0774	%	98.0	90.0 - 110	Acceptable	
CBCA	2	0.0739	0.0745	%	99.2	80.0 - 120	Acceptable	
CBLA	2	0.0747	0.0752	%	99.4	80.0 - 120	Acceptable	
d9THCP	2	0.0704	0.0728	%	96.6	80.0 - 120	Acceptable	
d8THCO	3	0.0730	0.0764	%	95.5	80.0 - 120	Acceptable	
CBT	2	0.0755	0.0739	%	102	80.0 - 120	Acceptable	
d9THCO	3	0.0787	0.0713	%	110	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBDV	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBE	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBDA	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBGA	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBG	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBD	<LOQ	0.0678	%	< 0.0678	Acceptable	
THCV	<LOQ	0.0678	%	< 0.0678	Acceptable	
d8THCV	<LOQ	0.0678	%	< 0.0678	Acceptable	
THCVA	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBN	<LOQ	0.0678	%	< 0.0678	Acceptable	
exo-THC	<LOQ	0.0678	%	< 0.0678	Acceptable	
d9THC	<LOQ	0.0678	%	< 0.0678	Acceptable	
d8THC	<LOQ	0.0678	%	< 0.0678	Acceptable	
9S-d10THC	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBL	<LOQ	0.0678	%	< 0.0678	Acceptable	
9S-HHC	<LOQ	0.0678	%	< 0.0678	Acceptable	
9R-d10THC	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBC	<LOQ	0.0678	%	< 0.0678	Acceptable	
9R-HHC	<LOQ	0.0678	%	< 0.0678	Acceptable	
THCA	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBCA	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBLA	<LOQ	0.0678	%	< 0.0678	Acceptable	
d9THCP	<LOQ	0.0678	%	< 0.0678	Acceptable	
d8THCO	<LOQ	0.0678	%	< 0.0678	Acceptable	
CBT	<LOQ	0.0678	%	< 0.0678	Acceptable	
d9THCO	<LOQ	0.0678	%	< 0.0678	Acceptable	

Abbreviations

ND - None Detected at or above MRI


Laboratory Quality Control Results

J AOAC 2015 V98-6			Batch ID: 2506258					
Sample Duplicate			Sample ID: 25-009827-0002					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.0741	%	NA	< 10	Acceptable	
CBGA	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.0741	%	NA	< 10	Acceptable	
THCV	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.0741	%	NA	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.0741	%	NA	< 10	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
9S-HHC	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
9R-HHC	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.0741	%	NA	< 10	Acceptable	
CBCA	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
d8THCO	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	
d9THCO	<LOQ	<LOQ	0.0741	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-009863/D001.R000
Report Date: 08/29/2025
ORELAP#: OR100028
Purchase Order:
Received: 08/22/25 14:12





Explanation of QC Flag Comments:

Code	Explanation
A	This analysis was performed on a VOA sample containing headspace.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.
B3	Dilution water blank of BOD was above the recommended limit; associated samples could be high biased.
CP	Client provided value.
CV	Calculated value.
E	Analyte concentration exceeds the calibration range, results are estimated.
E1	Estimated value.
E2	Estimated value. Matrix interference observed.
H	Holding time was exceeded.
J	Estimated value, above the detection limit and below the LOQ
I	Insufficient sample received to meet method requirements.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
LOQ3	< LOQ could be due to potential inhibition.
N1	See case narrative
P	Not preserved to the proper pH
P1	Storage temperature out of control
P2	Incubator temperature out of control
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
Q7	Quality control outside QC limits.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
RE	Re-extracted and/or re-analyzed.
REH	The original analysis was within holding time; re-analysis past holding time.
S	Surrogate recovery outside control limit.
T	Tentatively Identified Compound (TIC) by library search.
T1	Confirmed by secondary ion
W	Results are reported on dry weight basis.